




PRAIRIE MOON NURSERY®

2025 CULTURAL GUIDE

EXPERTS IN NATIVE PLANTS | SINCE 1982

Early morning in a *Helianthus pauciflorus* (Showy Sunflower) seed production field.



USING OUR CULTURAL GUIDE

FULL SUN	PART SHADE	SHADE	SOIL	BLOOM	COLOR	HT	COMMENTS
			W·WM·M·DM·D	A · M · J · J · A · S · O			

SOIL MOISTURE

☹️☹️☹️☹️	WET	Soggy or marshy most of the year.
☹️☹️☹️☹️	WET-MESIC	Excessively wet in winter, spring and after heavy rain but often dries in summer.
☹️☹️☹️☹️	MESIC	Medium. Water soaks in with no run-off.
☹️☹️☹️☹️	DRY-MESIC	Well drained. Water is removed from soil readily but not rapidly.
☹️☹️☹️☹️	DRY	Excessively drained.

Approximate plant height (HT) is given with standard foot (') and inch (") abbreviations. Height is for mature full-grown plants in flower. Actual height will vary considerably due to competition, sun exposure, soil conditions, and weather. In young native plantings (less than 10 years) plant heights may be greater than in older plantings when competition reduces height.

COMMENTS

ANNUAL	Completes its life cycle during one season
BIENNIAL	Grows vegetatively during the first year, completes its life cycle during the second
CALCAREOUS	Needs alkaline soil with a pH of 7 to 8
ACIDIC	Needs acid soil with a pH of 4 to 6
HEMIPARASITIC	Requires a host plant species. See Germ Code K
SAND	Thrive particularly well in sandy or well-drained soils
COOL	Actively grows during the spring and fall when soil temperatures are cool
WARM	Actively grows during the summer when soil temperatures are warm
AGGRESSIVE	May not be suited for small landscape plantings
RHIZOMATOUS	Fast-spreading root system
NEW	New species in seed or plant for 2025
	Deer Resistant: (attn: deer may browse on any plant if food is scarce)
	Pollinator Favorites
	Bird Favorites
	Highly recommended for home landscaping
	Recommended for home landscaping, but potentially aggressive. Could overwhelm small landscapes

SUN EXPOSURE

	FULL SUN	Plants require 6 or more hours of sun during the growing season.
	PART SHADE	Plants need 3-6 hours of direct sun. Sun reaches ground level at woodland edges or through openings between trees. Prairie species will often grow in larger openings, with shade-tolerant species growing under trees.
	SHADE	Plants require less than 3 hours of sunlight.

BLOOM TIME

April	A
May	M
June	J
July	J
August	A
September	S
October	O

HOW TO ORDER:

ORDER BY PHONE: 866-417-8156 • Mon-Fri • 7am-5pm CST

ORDER ONLINE: prairiemoon.com

Our Sales Team & secure website provide expert advice & updated inventory.

WE DO CUSTOM SEED MIX DESIGN!

FREE DESIGN SERVICES FOR ALL ORDERS OVER \$300

We have the diversity of species and over 40 years experience working with these plants to design the best prairie, meadow, wetland and woodland native Seed Mixes.

Some customers have special site conditions or needs that require a Custom Seed Mix. If you are planning a larger or unique planting with a budget of at least \$300 (roughly the size of 1/4 acre or more), Prairie Moon can help you design a seed mix customized to your site conditions, budget and preferences. There is no extra charge for this service.

You can help speed up the design process by reviewing over 700 species online or in this Cultural Guide and considering:

1. Size of Your Planting
2. Average Soil Moisture
3. Sun Exposure
4. Desired Plant Height
5. Target Budget



GET STARTED



GERMINATION CODES & INSTRUCTIONS

- A** NO PRE-TREATMENT NECESSARY
- B** HOT WATER TREATMENT
- C(#)** STRATIFICATION NEEDED (# OF DAYS)
- D** SURFACE SOW
- E** SEEDS NEED A WARM, MOIST PERIOD FOLLOWED BY A COLD, MOIST PERIOD.
- F** SEEDS NEED A COLD, MOIST PERIOD FOLLOWED BY A WARM, MOIST PERIOD FOLLOWED BY A 2ND COLD, MOIST PERIOD.
- G** SEEDS GERMINATE MOST SUCCESSFULLY IN COOL SOIL.
- H** NEEDS SCARIFICATION
- I** LEGUME - INOCULANT AVAILABLE
- J** DEHULLED
- K** HEMIPARASITIC SPECIES
- L** PLANT FRESH SEED OR KEEP MOIST
- M** BEST PLANTED OUTDOORS IN THE FALL
- O** IMPERMEABLE SEED COAT, NEEDS NICKING
- S** FERN SPORE SOWING
- ?** UNSURE

DETAILED GERM CODE INSTRUCTIONS PG. 10

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS			
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O						
ACORUS	americanus	Sweet Flag	●			●	C(60)	5,400	75								●	●						M	J	J				Green	2'	Rhizomatous			
ACTAEA	pachypoda	Doll's Eyes				●	F	3,700	50		🐦			🏠			●		●					M	J					White	2'	Difficult from Seed, White Fruit, Poison			
ACTAEA	rubra	Red Baneberry				●	F	5,500	40		🐦			🏠			●		●				A	M						White	2'	Difficult from Seed, Red Fruit, Poison			
AGALINIS	auriculata	Ear-leaf False Foxglove				●	C(60), K	155,000	100							☀️	☀️			●	●	●					A	S			Purple	2'	Annual		
AGASTACHE	foeniculum	Anise Hyssop		●	●	●	C(30), D	80,000	1,000	🐝	🐦			🏠										J	J	A	S				Purple	3'	Aromatic		
AGASTACHE	nepetoides	Yellow Giant Hyssop				●	C(60), D	80,000	1,000	🐝	🐦					☀️	☀️								J	A	S	O				Cream	6'		
AGASTACHE	scrophulariifolia	Purple Giant Hyssop	●	●	●	●	C(60), D	65,000	1,000	🐝	🐦					☀️	☀️								J	A	S	O				Purple	6'		
AGERATINA	altissima	White Snakeroot	●			●	C(60), D	150,000	500							☀️	●							J	A	S	O				White	2'	NEW, Poison, Aggressive		
AGRIMONIA	gryposepala	Tall Hairy Agrimony				●	A	1,800	15							☀️								J	J	A	S				Yellow	5'	Aggressive		
AGRIMONIA	striata	Roadside Agrimony				●	A	2,200	25							☀️	☀️							J	J	A	S				Yellow	6'			
ALISMA	subcordatum	Mud Plantain				●	C(30)	60,000	1,000							☀️							J	J	A	S				White	3'				
ALISMA	triviale	Lg-flowered Water Plantain				●	C(30)	90,000	1,000							☀️								J	J	A	S				White	3'			
ALLIUM	canadense	Wild Garlic	●			●	C(60)	560	15							☀️	☀️	●					M	J	J						Pink	18"	Bulbs ship summer, Aggressive		
ALLIUM	canadense var. lavendulare	Showy Wild Garlic	●			●	C(60)	8,600	20							☀️							A	M	J							Pink	1'		
ALLIUM	cernuum	Nodding Onion	●			●	C(60)	7,600	300	🐝				⚠️		☀️	☀️								J	A						Purple	18"		
ALLIUM	stellatum	Prairie Onion	●			●	C(60)	11,000	200	🐝				⚠️		☀️	☀️								J	A						Pink	14"		
ALLIUM	triccocum	Wild Leek	●			●	E?	1,400	30							☀️	●							J	J						White	8"	Slow from Seed		
AMMANNIA	coccinea	Scarlet Toothcup				●	A	1,400,000	1,000							☀️								J	J	A						Pink	2'	Annual, Aggressive	
AMSONIA	illustris	Ozark Bluestar			●	●	C(60)	1,600	60							☀️	☀️							A	M							Blue	3'		
AMSONIA	tabernaemontana	Eastern Bluestar		●		●	C(60)	1,400	25							☀️	☀️							A	M	J							Blue	3'	
ANAPHALIS	margaritacea	Pearly Everlasting		●		●	C(30)	218,000	300					⚠️		☀️	☀️							J	J	A	S					White	2'		
ANEMONE	patens var. wolfgangiana	Pasque Flower		●	●	●	M	18,000	100	🐝						☀️	☀️							A	M								Purple	6"	Difficult from Seed
ANEMONE	canadensis	Canada Anemone	●	●		●	F	8,000	200					⚠️		☀️	☀️							M	J							White	1'	Difficult from Seed, Rhizomatous	
ANEMONE	cylindrica	Thimbleweed				●	C(60)	40,000	200							☀️	☀️							J	J							White	2'		
ANEMONE	virginiana	Tall Thimbleweed	●	●		●	C(60)	28,000	100							☀️	☀️	●						J	J	A						White	3'		
ANEMONELLA	thalictroides	Rue Anemone	●			●	E	13,000	25							☀️	●							A	M	J							Pink	6"	
ANGELICA	atropurpurea	Great Angelica	●			●	F	5,400	300		🐦					☀️	☀️							M	J								Green	7'	Calcareous, Short-lived
ANTENNARIA	neglecta	Prairie Pussytoes	●		●	●	C(60), D	275,000	300							☀️	☀️							A	M	J							White	4"	Difficult from Seed, Rhizomatous
ANTENNARIA	plantaginifolia	Pussytoes	●		●	●	C(60), D	275,000	300							☀️	☀️							A	M	J							White	1'	Difficult from Seed, Rhizomatous
APOCYNUM	cannabinum	Dogbane		●		●	A	22,000	75							☀️	☀️							M	J	J	A						White	4'	Aggressive
APOCYNUM	sibiricum	Clasping Dogbane				●	A	28,000	75							☀️								M	J	J	A						White	5'	
AQUILEGIA	canadensis	Columbine	●	●	●	●	C(60), M	25,000	250	🐝	🐦					☀️	☀️	●						A	M	J							Red/Yel	2'	Sometimes Difficult
ARABIS	glabra	Tower Mustard				●	C(60), D	300,000	500							☀️								M	J	J							Cream	3'	Biennial
ARALIA	racemosa	Spikenard				●	C(60), M	33,000	100							☀️	●								J	A							Green	4'	
ARISAEMA	triphylllum	Jack-in-the-Pulpit	●			●	L, F	400	10							☀️	●							A	M	J	J						Green	2'	Red Fruit
ARNOGLOSSUM	atriplicifolium	Pale Indian Plantain				●	C(60)	7,500	100							☀️	☀️								J	A	S						White	7'	Aggressive
ARNOGLOSSUM	plantagineum	Prairie Indian Plantain				●	C(60)	4,700	35							☀️									J	J							White	4'	
ARNOGLOSSUM	reniforme	Great Indian Plantain	●			●	C(60)	3,700	100							☀️	☀️								J	J	A	S					White	8'	
ARTEMISIA	ludoviciana	Prairie Sage		●		●	C(30), D	275,000	1,000					⚠️		☀️	☀️								J	A	S						Green	3'	Aggressive, Rhizomatous, Aromatic
ASARUM	canadense	Wild Ginger	●			●	L, E	4,800	40								●							A	M	J						Red	6"	Difficult from Seed, Rhizomatous	
ASCLEPIAS	arenaria	Western Sand Milkweed				●	C(60)	2,000	15	🐝						☀️								M	J	J	A						Green	18"	
ASCLEPIAS	exaltata	Poke Milkweed		●		●	C(30)	3,000	30	🐝						☀️	●								J	J							White	5'	

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PANT SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS			
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O						
ASCLEPIAS	<i>hirtella</i>	Tall Green Milkweed				●	C(30)	3,800	30	🐝									●●●●						J	J	A				White	4'			
ASCLEPIAS	<i>incarnata</i>	Rose Milkweed	●	●	●	●	C(30)	4,800	100	🐝	🐦			🏠					●●●●						J	J	A				Pink	4'			
ASCLEPIAS	<i>purpurascens</i>	Purple Milkweed		●			C(30)	4,000	20	🐝									●●●●						J	J					Purple	3'			
ASCLEPIAS	<i>speciosa</i>	Showy Milkweed		●		●	C(30)	4,500	55	🐝									●●●●						J	J	A				Purple	3'	Aggressive, Rhizomatous		
ASCLEPIAS	<i>sullivantii</i>	Prairie Milkweed			●	●	C(30)	4,500	55	🐝									●●●●						J	J	A				Pink	3'	Rhizomatous		
ASCLEPIAS	<i>syriaca</i>	Common Milkweed	●	●	●	●	C(30)	4,000	150	🐝	🐦								●●●●						J	J	A				Pink	3'	NEW, Aggressive, Rhizomatous		
ASCLEPIAS	<i>tuberosa</i>	Butterfly Weed	●	●	●	●	C(30)	4,300	100	🐝	🐦			🏠					●●●●						J	J	A				Orange	2'			
ASCLEPIAS	<i>verticillata</i>	Whorled Milkweed	●	●	●	●	C(30)	11,000	100	🐝	🐦								●●●●							J	A	S				White	2'	Rhizomatous	
ASCLEPIAS	<i>viridis</i>	Spider Milkweed		●		●	C(30)	3,400	30	🐝									●●●●					M	J						Green	1'			
ASTRAGALUS	<i>bisulcatus</i>	Two-Grooved Milk Vetch				●	C(10), H, I	6,500	30										●●●●					M	J	J					Purple	2'	Legume		
ASTRAGALUS	<i>canadensis</i>	Canada Milk Vetch				●	C(10), H, I	15,000	500		🐦								●●●●						J	J	A				Cream	3'	Legume, Rhizomatous		
ASTRAGALUS	<i>crassicaarpus</i>	Ground Plum				●	C(10), H, I	7,300	75	🐝									●●●●					M	J						Purple	1'	Legume		
ASTRAGALUS	<i>racemosus</i>	Creamy Milk Vetch				●	C(10), H, I	6,000	200										●●●●					M	J						Cream	2'	Legume		
AUREOLARIA	<i>flava</i>	Smooth Yellow False Foxglove				●	C(60), D, K	65,000	500	🐝	🐦								●●●●							J	A	S	O				Yellow	4'	
BAPTISIA	<i>alba</i>	White Wild Indigo		●	●	●	C(10), H, I	1,700	75	🐝	🐦			🏠					●●●●						J	J						White	4'	Legume	
BAPTISIA	<i>australis</i>	Blue Wild Indigo		●	●	●	C(10), H, I	1,800	75	🐝	🐦			🏠					●●●●					M	J	J					Blue	4'	Legume		
BAPTISIA	<i>australis var. minor</i>	Dwarf Blue Indigo				●	C(10), H, I	2,000	25					🏠					●●●●					M	J						Blue	3'	Legume		
BAPTISIA	<i>bracteata</i>	Cream Wild Indigo		●	●	●	C(10), H, I	1,700	10					🏠					●●●●					M	J						Cream	2'	Legume		
BAPTISIA	<i>sphaerocarpa</i>	Large Yellow Wild Indigo				●	C(10), H, I	1,700	10					🏠					●●●●						J	J					Yellow	3'	Legume		
BAPTISIA	<i>tinctoria</i>	Small Yellow Wild Indigo			●	●	C(10), H, I	5,000	75	🐝				🏠					●●●●						J	J	A				Yellow	2'	Legume		
BIDENS	<i>aristosa</i>	Swamp Marigold				●	C(60)	8,600	100					🏠					●●●●							A	S	O				Yellow	4'	Annual, No Sticktight	
BIDENS	<i>cernua</i>	Nodding Bur Marigold				●	C(60)	27,000	200		🐦								●●●●						J	J	A	S				Yellow	3'	Annual, Sticktight	
BIDENS	<i>coronata</i>	Crowned Beggarticks				●	C(30)	13,000	100										●●●●							A	S	O				Yellow	4'	Annual, Sticktight	
BIDENS	<i>frondosa</i>	Common Beggarticks				●	C(60)	4,500	50		🐦								●●●●							A	S	O				Yellow	3'	Annual, Sticktight, Aggressive	
BIDENS	<i>polylepis</i>	Bearded Beggarticks				●	C(60)	10,000	75	🐝	🐦								●●●●							A	S	O				Yellow	4'		
BLEPHILIA	<i>ciliata</i>	Downy Wood Mint			●	●	C(60), D	400,000	1,000	🐝				🏠					●●●●						J	J						Purple	1'	Aromatic	
BLEPHILIA	<i>hirsuta</i>	Hairy Wood Mint		●	●	●	C(60), D	200,000	1,000	🐝									●●●●						J	J	A	S				White	3'	Aromatic	
BOEHMERIA	<i>cylindrica</i>	Smallspike False Nettle				●	A	160,000	1,000	🐝									●●●●						J	J	A				Yellow	3'			
BOLTONIA	<i>asteroides</i>	False Aster		●	●	●	C(60), D	175,000	2,000	🐝	🐦			⚠️					●●●●							A	S	O				White	4'	Rhizomatous	
BOLTONIA	<i>decurrens</i>	Decurrent False Aster				●	C(60), D	200,000	1,000	🐝									●●●●							A	S	O				White	7'	Rhizomatous	
BRICKELLIA	<i>eupatorioides</i>	False Boneset				●	A	22,000	200										●●●●							A	S					Cream	3'		
CALLIRHOE	<i>bushii</i>	Bush's Poppy Mallow		●	●	●	B, C(30)	4,000	30					🏠					●●●●						J	J	A				Pink	2'			
CALLIRHOE	<i>involuta</i>	Purple Poppy Mallow				●	B, C(30)	4,500	25					🏠					●●●●						J	J	A				Pink	6"			
CALLIRHOE	<i>triangulata</i>	Clustered Poppy Mallow				●	B, C(60)	5,800	50					🏠					●●●●						J	A	S				Pink	1'	Sand		
CALTHA	<i>palustris</i>	Marsh Marigold	●			●	C(60)	26,000	40		🐦			🏠					●●●●					A	M	J					Yellow	2'			
CAMASSIA	<i>angusta</i>	Southern Wild Hyacinth				●	C(60)	9,000	50					🏠					●●●●					M	J	J					Purple	2'	Ephemeral		
CAMASSIA	<i>scilloides</i>	Wild Hyacinth	●			●	M	5,500	40	🐝				🏠					●●●●					M	J						Blue	2'	Bulbs ship summer, Ephemeral		
CAMPANULA	<i>americana</i>	Tall Bellflower		●		●	C(30)	170,000	1,000	🐝	🐦			🏠					●●●●							J	A	S	O				Blue	5'	Biennial
CAMPANULA	<i>rotundifolia</i>	Harebell				●	C(30), D	500,000	500	🐝	🐦			🏠					●●●●						J	J	A	S				Purple	1'		
CARDAMINE	<i>concatenata</i>	Toothwort	●			●	C(60)	72,000	30					🏠					●●●●					A	M							White	1'	Difficult from Seed, Ephemeral	
CASTILLEJA	<i>coccinea</i>	Indian Paintbrush				●	C(60), D, K	300,000	300		🐦			🏠					●●●●						M	J						Red	2'	Biennial, Hemiparasitic	
CASTILLEJA	<i>sessiliflora</i>	Downy Painted Cup				●	C(60), D, K	130,000	500		🐦								●●●●						M	J						Cream	1'	Hemiparasitic	

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct).
POTTED PLANTS (3-Packs & Trays) ship late April through early June.

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						GENUS	species	Common Name				W	WM	M	DM	D	A	M	J	J			
CAULOPHYLLUM	thalictroides	Blue Cohosh				●	M	140	5		🐦	🦌	🏠			☀️	●	☔	☔				A	M					Green	2'		
CHAMAECRISTA	fasciculata	Partridge Pea				●	C(10), H, I	2,500	250	🐝	🐦	🦌	🏠			☀️	☀️		☔	☔	☔					J	A	S	Yellow	2'	Legume, Annual, Sand	
CHAMAENERION	angustifolium	Fireweed	●			●	C(60), D	800,000	500	🐝	🐦	🦌		⚠️		☀️	☀️		☔	☔	☔				J	J	A		Pink	4'	Aggressive, Rhizomatous	
CHELONE	glabra	Turtlehead				●	C(90), M	75,000	300	🐝	🐦	🦌	🏠			☀️			☔	☔					J	A	S	Cream	5'			
CHELONE	obliqua	Pink Turtlehead				●	C(90)	18,000	300	🐝	🐦	🦌	🏠			☀️	☀️		☔	☔	☔				J	A	S	Pink	3'	NEW		
CHRYSOPSIS	villosa	Hairy Golden Aster				●	C(60)	22,000	150							☀️					☔	☔			J	J	A	S	Yellow	2'		
CICUTA	maculata	Water Hemlock				●	C(120), M	9,000	200	🐝		🦌				☀️	☀️		☔	☔				J	J	A	S	White	6'	Poisonous		
CIMICIFUGA	racemosa	Black Cohosh				●	E, L	9,000	75	🐝	🐦	🦌	🏠			☀️	☀️	●	☔	☔			M	J	J	A	S	White	5'			
CIRSIUM	altissimum	Tall Thistle		●		●	C(30)	6,500	50	🐝	🐦	🦌				☀️	☀️			☔					J	A	S	0	Purple	7'	Biennial	
CIRSIUM	discolor	Pasture Thistle		●		●	C(60)	5,000	50	🐝	🐦	🦌				☀️	☀️			☔	☔					A	S	0	Purple	6'	Biennial	
CIRSIUM	muticum	Swamp Thistle		●		●	C(30)	8,000	50		🐦	🦌				☀️	☀️		☔	☔				J	A	S	0	Pink	7'	Biennial		
CLAYTONIA	virginica	Spring Beauty	●			●	L, E	20,000	75				🏠				●	☔	☔	☔			A	M	J			Pink	5"	Ephemeral		
CLEOME	serrulata	Rocky Mountain Bee Plant				●	C(30)?	4,000	150	🐝						☀️				☔	☔				J	A			Pink	4'	Annual	
CLINTONIA	borealis	Blue Bead Lily	●				L, F						🏠			☀️	●	☔	☔	☔				M	J			Yellow	1'	NEW		
COMANDRA	umbellata	Bastard Toadflax				●	K?	700	5							☀️	☀️			☔	☔	☔		M	J	J			Green	9"	Hemiparasitic	
CONOCLINIUM	coelestinum	Mistflower		●	●	●	C(60), D	325,000	500			🦌		⚠️		☀️				☔	☔	☔					S	0	Blue	2'	Aggressive	
COREOPSIS	lanceolata	Lance-leaf Coreopsis	●	●	●	●	C(30)	14,000	250	🐝	🐦	🦌	🏠			☀️				☔	☔	☔			M	J	J	A		Yellow	2'	NEW
COREOPSIS	palmeta	Prairie Coreopsis	●	●	●	●	C(60), M	8,000	200	🐝	🐦	🦌		⚠️		☀️	☀️			☔	☔	☔			J	J	A		Yellow	2'	Rhizomatous	
COREOPSIS	tripteris	Tall Coreopsis	●	●	●	●	C(60)	12,000	200	🐝	🐦	🦌				☀️	☀️			☔	☔	☔			J	A	S	0	Yellow	7'	NEW, Aggressive	
CORYDALIS	sempervirens	Pale Corydalis				●	C(30)	55,000	50				🏠			☀️	☀️			☔	☔			M	J	J	A	S	Pink	3'	Annual	
CROTALARIA	sagittalis	Rattlebox				●	A, I	3,600	200							☀️				☔	☔				J	A	S		Yellow	1'	Annual, Acidic Soil, Sand	
CRYPTOTAENIA	canadensis	Honewort	●			●	C(60)	9,000	150								●	☔	☔	☔				J	J	A	S		White	2'	Aggressive	
DALEA	candida	White Prairie Clover				●	A, J, I	22,000	750	🐝	🐦	🦌				☀️	☀️			☔	☔	☔			J	J	A	S	White	18"	Legume	
DALEA	foliosa	Leafy Prairie Clover		●		●	A, J, I	18,000	150	🐝	🐦	🦌				☀️	☀️			☔	☔	☔			J	A	S		Purple	2'	NEW, Legume, Federally Endangered	
DALEA	purpurea	Purple Prairie Clover		●	●	●	A, J, I	17,000	750	🐝	🐦	🦌	🏠			☀️	☀️			☔	☔	☔			J	A	S		Purple	2'	Legume	
DALEA	villosa	Silky Prairie Clover				●	A, J, I	14,000	150				🏠			☀️	☀️			☔	☔	☔			J	A			Purple	2'	Legume, Sand	
DASISTOMA	macrophylla	Mullein-foxtail				●	C(60)	38,000	200							☀️	●		☔					J	J	A	S	Yellow	7'	Annual		
DELPHINIUM	exaltatum	Tall Larkspur		●		●	C(60)	12,000	100	🐝	🐦	🦌	🏠			☀️				☔	☔				J	A			Purple	4'		
DELPHINIUM	virescens	Prairie Larkspur				●	C(60)	36,000	40		🐦	🦌				☀️				☔	☔				J	J			White	4'		
DESMANTHUS	illinoensis	Illinois Bundle Flower				●	A, H, I	4,200	250		🐦					☀️				☔	☔	☔			J	A			Yellow	5'	Legume	
DESMODIUM	canadense	Showy Tick Trefoil				●	A, J, I	5,500	250	🐝	🐦					☀️	☀️			☔	☔	☔			J	A			Purple	5'	Legume	
DESMODIUM	glutinosum	Pointed-leaved Tick Trefoil				●	C(10), I	1,100	15		🐦					☀️	●			☔	☔				J	J	A		Pink	2'	Legume	
DESMODIUM	illinoense	Illinois Tick Trefoil				●	A, J, I	3,500	150		🐦					☀️	☀️			☔	☔	☔			J	A			Pink	6'	Legume	
DESMODIUM	paniculatum	Panicled Tick Trefoil				●	A, J, I	6,500	40		🐦					☀️	☀️			☔	☔	☔			J	A	S		Pink	3'	Legume	
DESMODIUM	sessilifolium	Sessile-leaf Tick Trefoil				●	A, J, I	5,500	50		🐦					☀️	☀️			☔	☔	☔			J	A	S		Purple	4'	Legume	
DICENTRA	cucullaria	Dutchman's Breeches				●	L, E	17,500	60				🏠				●	☔	☔				A	M				White	1'	Difficult from Seed, Ephemeral		
DODECATHEON	amethystinum	Amethyst Shooting Star				●	C(60), M, G, D	90,000	100				🏠			☀️	☀️	●	☔	☔	☔			A	M				Purple	1'	Ephemeral	
DODECATHEON	meadia	Midland Shooting Star				●	C(21), D, G	90,000	200				🏠			☀️	☀️			☔	☔	☔			A	M	J			Pink	1'	Ephemeral
DOELLINGERIA	umbellata	Flat-topped Aster				●	C(60)	55,000	400	🐝			⚠️			☀️	☀️		☔	☔	☔				J	A	S		Cream	5'	Rhizomatous	
DRYMOCALLIS	arguta	Prairie Cinquefoil				●	C(60), D, G	230,000	1,000	🐝	🐦	🦌				☀️	☀️			☔	☔	☔			J	J	A	S	White	2'		
ECHINACEA	angustifolia	Narrow-leaved Coneflower				●	C(90), M	6,500	200	🐝	🐦	🦌				☀️				☔	☔	☔			J	J			Pink	2'		
ECHINACEA	pallida	Pale Purple Coneflower	●	●	●	●	C(90), M	4,800	200	🐝	🐦	🦌	🏠			☀️	☀️			☔	☔	☔			J	J			Pink	3'		

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct).
POTTED PLANTS (3-Packs & Trays) ship late April through early June.

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS	
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						GENUS	species	Common Name				W	WM	M	DM	D	A	M	J	J				A
ECHINACEA	paradoxa	Bush's Coneflower		●		●	C(60)	4,000	100	🐝	🐦	🦌	🏠				🌞	🌞							J	J	A			Yellow	3'		
ECHINACEA	purpurea	Purple Coneflower		●	●	●	A	6,000	300	🐝	🐦	🦌	🏠				🌞	🌞								J	A	S			Purple	4'	
ECHINACEA	tennesseensis	Tennessee Coneflower	●	●		●	C(60)	6,000	80	🐝	🐦	🦌	🏠				🌞	🌞								J	A	S			Purple	2'	
ECHINOCYSTIS	lobata	Wild Cucumber				●	C(60)	100	5			🦌					🌞	🌞								J	A	S			White	to 20'	Vine, Annual
ECHINODORUS	berteroi	Upright Burhead				●	C(90)	115,000	500								🌞								J	J	A	S	O	White	2'		
EPILOBIUM	coloratum	Cinnamon Willow Herb				●	C(60), D	300,000	1,000								🌞								J	A	S			Pink	2'		
EPILOBIUM	glandulosum	Northern Willow Herb				●	C(60), D	375,000	500								🌞	🌞							J	A	S			Pink	2'		
ERIGERON	pulchellus	Robin's Plantain				●	C(60)	315,000	300								🌞	🌞						M	J				White	1'			
ERYNGIUM	yuccifolium	Rattlesnake Master		●	●	●	C(60)	7,500	250	🐝	🐦	🦌	🏠				🌞								J	A	S			White	4'		
ERYTHRONIUM	albidum	White Trout Lily	●			●	L, F	2,700	10			🦌	🏠					●						A	M				White	6"	Difficult from Seed, Attractive leaves, Ephemeral		
EUPATORIUM	altissimum	Tall Boneset				●	C(60)	50,000	300			🦌					🌞	🌞									A	S	O	White	4'		
EUPATORIUM	hyssopifolium	Hyssop-leaved Thoroughwort				●	C(60)	92,000	100								🌞	🌞									A	S	O	White	3'		
EUPATORIUM	perfoliatum	Boneset				●	C(30), D	160,000	750	🐝	🐦	🦌					🌞	🌞							J	A	S			White	4'		
EUPATORIUM	serotinum	Late Boneset				●	C(60)	170,000	500	🐝	🐦	🦌					🌞	🌞									A	S	O	White	5'		
EUPHORBIA	corollata	Flowering Spurge		●	●	●	C(30)	8,000	75	🐝	🐦	🦌					🌞	🌞							J	J	A			White	3'	Rhizomatous	
EUPHORBIA	cyathophora	Fire-on-the-Mountain				●	A	2,700	15			🦌					🌞	🌞							J	A	S	O	Red	2'	Annual		
EURYBIA	furcata	Forked Aster	●			●	C(60)	24,000	130	🐝							🌞	●								A	S	O	White	2'	NEW		
EURYBIA	macrophyllus	Big-leaved Aster		●	●	●	C(60)	45,000	75	🐝				⚠️			🌞	●									A	S	O	White	1'	Rhizomatous	
EUTHAMIA	gymnospermoides	Great Plains Goldenrod				●	C(60), D	500,000	500	🐝		🦌					🌞								J	A	S			Yellow	3'		
EUTHAMIA	graminifolia	Grass-leaved Goldenrod				●	C(60), D	350,000	1,000	🐝		🦌					🌞	🌞							J	A	S			Yellow	4'	Aggressive, Rhizomatous	
EUTROCHIUM	fistulosum	Hollow Joe Pye Weed				●	C(60)	78,000	200	🐝		🦌					🌞	🌞	●						J	A	S			Purple	6'		
EUTROCHIUM	maculatum	Joe Pye Weed		●	●	●	C(30), D	80,000	400	🐝	🐦	🦌		⚠️			🌞	🌞								J	A	S			Pink	5'	
EUTROCHIUM	purpureum	Sweet Joe Pye Weed		●	●	●	C(30), G	60,000	400	🐝	🐦	🦌	🏠				🌞	●								J	A	S			Pink	7'	Aromatic
FILIPENDULA	rubra	Queen of the Prairie	●			●	C(90)	15,000	75			🦌		⚠️			🌞								J	J	A			Pink	5'	Rhizomatous, Difficult from Seed	
FRAGARIA	virginiana	Wild Strawberry	●		●	●	C(60)	83,000	60		🐦	🦌	🏠				🌞	🌞	●					A	M	J			White	5"	Rhizomatous		
FRASERA	carolinensis	American Columbo				●	M	3,000	20				🏠				🌞	🌞						M	J				White	18"	Monocarpic		
FROELICHA	floridana	Cottonweed				●	C(60)	7,500	75								🌞								J	A	S			White	2'	Annual, sand	
GALIUM	boreale	Northern Bedstraw		●		●	C(90)	56,000	400		🐦	🦌		⚠️			🌞	🌞							J	J				White	2'	Rhizomatous	
GALIUM	concinnum	Shining Bedstraw				●	C(60)	45,000	300								🌞	●						A	M	J	J			White	2'		
GAURA	biennis	Biennial Gaura		●		●	C(60)	2,700	100		🐦	🦌					🌞	🌞							J	A	S	O	Pink	6'	Biennial, Short-lived		
GAURA	coccinea	Scarlet Gaura				●	C(60)	1,400	75								🌞							M	J	J	A			Pink	2'		
GAURA	longiflora	Large-flowered Gaura				●	C(60)	2,600	100			🦌					🌞	🌞							J	A	S			Pink	6'	Short-lived	
GENTIANA	andrewsii	Bottle Gentian			●	●	C(60), D	280,000	750	🐝		🦌	🏠				🌞	🌞									A	S	O	Blue	2'		
GENTIANA	flavida	Cream Gentian				●	C(60), D	200,000	750	🐝		🦌	🏠				🌞	🌞									A	S			Cream	2"	
GENTIANA	puberulenta	Downy Gentian			●	●	C(60), D	435,000	500			🦌					🌞	🌞									A	S	O	Blue	1'		
GENTIANELLA	quinquefolia	Stiff Gentian				●	C(60), D	110,000	400	🐝		🦌	🏠				🌞	🌞									A	S	O	Purple	2'	Biennial	
GENTIANOPSIS	crinita	Fringed Gentian				●	C(60), D	350,000	200			🦌					🌞										A	S	O	Blue	1'	Biennial, Difficult from Seed	
GERANIUM	carolinianum	Carolina Cranesbill				●	C(90), L	8,000	30								🌞							M	J	J	A			Pink	2'	Annual	
GERANIUM	maculatum	Wild Geranium	●	●	●	●	C(60), M	5,000	45	🐝	🐦	🦌	🏠				🌞	🌞	●					A	M	J	J			Purple	1'	Rhizomatous	
GEUM	aleppicum	Yellow Avens				●	C(60)	20,000	200								🌞	🌞							J	J	A			Yellow	3'		
GEUM	canadense	White Avens				●	C(60), ?	15,500	75			🦌					🌞	●						M	J	J			White	2'	Short-lived Perennial		
GEUM	triflorum	Prairie Smoke		●	●	●	C(60), M	40,000	80	🐝		🦌	🏠				🌞	🌞						A	M	J			Red	8"			

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct).
POTTED PLANTS (3-Packs & Trays) ship late April through early June.

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🐇	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS				
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O							
GLYCYRRHIZA	lepidota	Wild Licorice				●	A, H, I	3,900	75										●●●●						J	J					Cream	2'	Legume, Aggressive, Rhizomatous			
HASTEOLA	suaveolens	Sweet Indian Plantain				●	C(60)	17,000	100										●●							J	A	S			White	7'	Rhizomatous, Aggressive			
HELENIUM	autumnale	Sneezeweed		●	●	●	A, D	140,000	500	🐝	🐦		🏠						●●								A	S	O			Yellow	4'			
HELENIUM	flexuosum	Purple-headed Sneezeweed				●	A	155,000	500		🐦								●●●									A	S	O			Yellow	3'		
HELIANTHUS	angustifolius	Swamp Sunflower				●	C(30)	25,000	100		🐦								●●●									A	S	O			Yellow	8'		
HELIANTHUS	giganteus	Tall Sunflower				●	C(30)	12,500	100		🐦								●●						J	A	S						Yellow	8'	Aggressive, Rhizomatous	
HELIANTHUS	grosseserratus	Saw-tooth Sunflower				●	C(30)	13,000	100		🐦								●●●								A	S	O			Yellow	8'	Aggressive, Rhizomatous		
HELIANTHUS	maximiliani	Maximilian's Sunflower				●	C(30)	11,000	300		🐦								●●●									A	S				Yellow	7'	Aggressive, Rhizomatous	
HELIANTHUS	mollis	Downy Sunflower				●	C(30)	9,000	100		🐦								●●									A	S				Yellow	5'	Aggressive, Rhizomatous	
HELIANTHUS	occidentalis	Western Sunflower	●			●	C(30)	14,000	100		🐦			⚠️					●●●						J	A	S						Yellow	3'	Aggressive, Rhizomatous	
HELIANTHUS	pauciflorus	Showy Sunflower	●			●	C(30)	4,000	100		🐦								●●●						J	A	S						Yellow	5'	NEW, Aggressive, Rhizomatous	
HELIOPSIS	helianthoides	Early Sunflower			●	●	C(30)	6,200	200	🐝	🐦		🏠						●●●						J	J	A	S					Yellow	5'	Aggressive	
HEPATICAC	acutiloba	Sharp-lobed Hepatica				●	F, L	8,600	20				🏠						●●								A	M					Blue	7"	Difficult from Seed, Ephemeral	
HERACLEUM	maximum	Cow Parsnip				●	F, M, ?	2,200	100										●●						J	J							White	8'	Biennial	
HEUCHERA	richardsonii	Prairie Alumroot			●	●	C(30), D	350,000	750		🐦		🏠						●●●●						M	J	J						Green	2'		
HIBISCUS	laevis	Rose Mallow		●	●	●	C(60)	2,200	75		🐦		🏠						●●							J	A	S						Pink	5'	
HIBISCUS	moscheutos	Swamp Rose Mallow				●	C(60)	3,000	75		🐦								●●							J	A	S						White	5'	
HYDROPHYLLUM	appendiculatum	Great Waterleaf				●	E, L	750	20										●						M	J	J						Purple	2'	Biennial	
HYDROPHYLLUM	virginianum	Virginia Waterleaf	●			●	C(60)	2,500	50				⚠️						●●						M	J							Purple	2'	Aggressive, Rhizomatous	
HYPERICUM	majus	Greater Canada St. John's Wort				●	C(60), ?	2,000,000	1,000										●							J	A	S						Yellow	2'	Rhizomatous
HYPERICUM	prolificum	Shrubby St. John's Wort		●	●	●	A, D	180,000	500	🐝	🐦		🏠						●●●							J	A	S						Yellow	4'	Shrub
HYPERICUM	punctatum	Dotted St. John's Wort				●	C(60), D	375,000	1,000										●●							J	A	S						Yellow	2'	
HYPERICUM	pyramidatum	Great St. John's Wort				●	C(60), D	225,000	1,000	🐝			🏠						●●							J	A							Yellow	6'	
HYPERICUM	sphaerocarpum	Round-fruited St. John's Wort				●	C(60)	34,000	200										●●●●						J	J	A	S						Yellow	2'	Rhizomatous
HYPERICUM	virginicum	Marsh St. John's Wort				●	D, ?	230,000	750										●●							J	A	S						Pink	2'	
ILIAMNA	remota	Kankakee Mallow				●	C(60)	12,000	200				⚠️						●●							J	A	S						Pink	5'	
IMPATIENS	capensis	Spotted Touch-me-not				●	L, M or F?	4,000	50		🐦								●●●							J	A	S						Orange	4'	Annual
IMPATIENS	pallida	Yellow Jewelweed				●	L, M or F?	1,900	20		🐦								●●●							J	A	S	O					Yellow	4'	Annual
IRIS	versicolor	Northern Blue Flag				●	M or C(120)	950	30				🏠						●●●						M	J	J						Blue	3'	Rhizomatous	
IRIS	virginica var. shrevei	Southern Blue Flag		●	●	●	M or C(120)	800	30				🏠						●●●						M	J	J						Purple	3'	Rhizomatous	
ISOPYRUM	bitematum	False Rue Anemone	●			●	C(60)?	11,000	30				🏠						●●						A	M	J						White	6"	Ephemeral	
JEFFERSONIA	diphylla	Twinleaf				●	F, L	1,000	10				🏠						●								A	M						White	1'	Calcareous, Ephemeral
LACTUCA	ludoviciana	Prairie Lettuce				●	?	25,000	100										●						J	J	A						Yellow	5'	Biennial	
LESPEDEZA	capitata	Round-headed Bush Clover				●	C(10), I, J	9,500	200	🐝	🐦								●●●								A	S						Green	4'	Legume, Rhizomatous
LESPEDEZA	virginica	Slender Bush Clover				●	C(10), I, J	7,700	100										●●							J	A	S						Purple	2'	Legume
LIATRIS	aspera	Button Blazing Star	●	●	●	●	C(60)	13,000	100	🐝	🐦		🏠						●●●							J	A	S	O					Purple	3'	
LIATRIS	cylindracea	Dwarf Blazing Star				●	C(60)	9,000	75	🐝			🏠						●●							J	A	S	O					Purple	1'	
LIATRIS	ligulistylis	Meadow Blazing Star	●	●	●	●	C(60)	10,000	100	🐝	🐦		🏠						●●●									A	S					Purple	5'	Monarchs
LIATRIS	mucronata	Bottlebrush Blazing Star				●	C(30)	4,400	90	🐝									●●								A	S	O					Purple	2'	
LIATRIS	punctata	Dotted Blazing Star				●	C(30)	4,000	50	🐝			🏠						●●							J	A	S						Purple	2'	
LIATRIS	pycnostachya	Prairie Blazing Star	●	●	●	●	C(60)	11,000	150	🐝	🐦		🏠						●●●							J	A	S						Purple	4'	
LIATRIS	scariosa var. nieuwlandii	Northern Blazing Star			●	●	C(60)	12,000	100	🐝	🐦		🏠						●●●								A	S						Purple	3'	

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🐇	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O			
LIATRIS	spicata	Dense Blazing Star		●		●	C(60)	8,000	150	🐝	🐦			🏠		☀️	☀️		●	●	●					J	A	S	Purple	5'		
LILIUM	michiganense	Michigan Lily	●			●	E	10,000	30		🐦			🏠		☀️	☀️		●	●	●				J	J	A	Orange	5'	Difficult from Seed, Rich Soil		
LILIUM	philadelphicum	Prairie Lily	●			●	C(60)	18,000	25					🏠		☀️	☀️		●	●	●				J	A		Orange	2'			
LINUM	sulcatum	Grooved Yellow Flax				●	C(30)	50,000	75							☀️					●	●				J	A	S	Yellow	1'		
LOBELIA	cardinalis	Cardinal Flower		●	●	●	C(60), D	400,000	750	🐝	🐦	🐇		🏠		☀️	☀️		●	●					J	A	S	Red	4'			
LOBELIA	inflata	Indian Tobacco				●	C(60), D	500,000	1,000			🐇				☀️	☀️	●	●	●					J	A	S	O	Blue	2'	Annual	
LOBELIA	siphilitica	Great Blue Lobelia	●	●	●	●	C(60), D	500,000	1,000	🐝	🐦	🐇		🏠		☀️	☀️		●	●	●				J	A	S	O	Blue	3'		
LOBELIA	spicata	Pale Spiked Lobelia				●	C(60), D	900,000	750		🐦	🐇		🏠		☀️	☀️		●	●	●			M	J	J	A	Purple	2'			
LUDWIGIA	alternifolia	Seedbox				●	C(60)	1,300,000	1,000							☀️			●					A	J	J		Yellow	3'	Acidic Soil		
LUPINUS	perennis subsp. perennis	Sundial Lupine		●		●	C(10), H, I	1,100	40	🐝	🐦			🏠		☀️	☀️				●	●		M	J	J		Purple	2'	Legume, Sand		
LYCOPUS	americanus	Water Horehound				●	A, D	155,000	1,000							☀️	☀️		●	●					J	A	S	White	2'			
LYCOPUS	asper	Rough Bugleweed				●	A	40,000	150							☀️	☀️		●	●				J	J	A	S	White	3'			
LYSIMACHIA	ciliata	Fringed Loosestrife	●			●	C(60)	25,000	100					⚠️		☀️	☀️	●	●	●				J	J	A		Yellow	2'	Rhizomatous		
LYSIMACHIA	quadriflora	Prairie Loosestrife				●	C(60), D	48,000	100					🏠		☀️	☀️		●	●	●				J	A		Yellow	2'			
LYSIMACHIA	thyrsiflora	Tufted Loosestrife				●	C(60), D	82,000	100							☀️	☀️		●	●			M	J			Yellow	2'	Rhizomatous			
LYTHRUM	alatum	Winged Loosestrife				●	C(60), D	3,000,000	2,000					🏠		☀️			●	●				J	J	A	S	Purple	3'	Rhizomatous		
MAIANthemum	racemosum	Solomon's Plume	●			●	F, L	400	20			🐇		🏠		☀️	☀️	●	●	●	●		A	M	J		White	2'	Rhizomatous			
MAIANthemum	stellatum	Starry Solomon's Plume	●			●	F, L	1,350	15		🐦	🐇		🏠		☀️	☀️	●	●	●	●		A	M	J		White	2'	Rhizomatous			
MELANTHIUM	virginicum	Bunch Flower	●			●	C(60), M	5,500	85			🐇		🏠		☀️	☀️		●	●	●			J	J	A		White	5'			
MENTHA	arvensis	Wild Mint				●	A, D	250,000	500			🐇				☀️	☀️		●	●	●			J	A	S	White	2'	Aggressive, Rhizomatous			
MERTENSIA	virginica	Virginia Bluebells	●			●	C(60), M	9,700	75			🐇		🏠		☀️	☀️	●	●				A	M			Blue	2'	Ephemeral			
MIMULUS	ringens	Monkey Flower				●	C(60), D	2,300,000	2,000		🐦	🐇				☀️	☀️		●	●				J	J	A	S	Purple	2'			
MIRABILIS	nyctaginea	Wild Four O'Clock				●	A	3,500	75			🐇				☀️			●	●	●			J	J	A	S	Purple	4'			
MITELLA	diphylla	Bishop's Cap	●			●	L, M	90,000	100					🏠		☀️	☀️	●	●	●			A	M	J		White	1'	Difficult from Seed			
MONARDA	bradburiana	Bradbury's Monarda	●	●	●	●	C(60)	42,000	100	🐝	🐦	🐇		🏠		☀️	☀️		●	●	●			J	J			Pink	2'	Aromatic		
MONARDA	fistulosa	Wild Bergamot	●	●	●	●	A	70,000	500	🐝	🐦	🐇		🏠		☀️	☀️		●	●	●	●			J	A	S	Purple	4'	Aromatic		
MONARDA	punctata	Spotted Bee Balm	●	●		●	A, D	70,000	500	🐝	🐦	🐇		🏠		☀️	☀️		●	●	●			J	A	S	Purple	2'	Sand			
NAPAEA	dioica	Glade Mallow				●	C(60)	3,600	200					🏠		☀️	☀️		●	●				J	J	A		White	7'			
NICOTIANA	rustica	Midewiwan Sacred Tobacco				●	A, D	130,000	250			🐇				☀️	☀️		●	●				J	A	S	Yellow	2'	Annual			
OENOTHERA	biennis	Common Evening Primrose				●	A, D, G	70,000	750	🐝	🐦	🐇				☀️	☀️		●	●	●			J	J	A	S	Yellow	6'	Biennial		
OENOTHERA	macrocarpa	Missouri Evening Primrose				●	C(60)	4,700	50							☀️	☀️		●	●			M	J	J	A	Yellow	1'				
OENOTHERA	pilosella	Prairie Sundrops		●		●	A	500,000	500	🐝				🏠		☀️	☀️		●	●	●			M	J			Yellow	2'	Rhizomatous		
OENOTHERA	rhombipetala	Sand Evening Primrose				●	?, D	130,000	500			🐇				☀️	☀️			●				J	J	A	S	Yellow	2'	Sand, Biennial		
OLIGONEURON	album	Upland White Goldenrod				●	A	40,000	500	🐝		🐇		🏠		☀️					●	●			J	J	A	S	White	1'		
OLIGONEURON	ohioense	Ohio Goldenrod				●	C(30), D	80,000	1,000	🐝	🐦	🐇		🏠		☀️			●	●	●				J	A	S	Yellow	3'			
OLIGONEURON	riddellii	Riddell's Goldenrod				●	C(60), D	80,000	1,000	🐝	🐦	🐇				☀️			●	●	●			A	S	O	Yellow	3'	Calcareous			
OLIGONEURON	rigidum	Stiff Goldenrod		●	●	●	C(60)	41,000	1,000	🐝	🐦	🐇		⚠️		☀️	☀️		●	●	●	●			A	S	O	Yellow	4'	Aggressive		
ONOSMODIUM	molle	Marbleseed				●	B	1,500	25			🐇				☀️	☀️		●	●	●			J	J			Cream	3'			
ORBEXILUM	pedunculatum	Sampson's Snakeroot				●	C(10), H, I	2,400	50							☀️	☀️		●	●	●			M	J	J		Purple	1'	Legume		
OSMORHIZA	claytonii	Sweet Cicely				●	C(60)	2,500	75							☀️		●	●	●				M	J			White	2'			
OSMORHIZA	longistylis	Aniseroot				●	C(60)	2,300	50							☀️	☀️	●	●					M	J			White	2'			
OXALIS	violacea	Violet Wood Sorrel	●			●	C(60), M	50,000	100			🐇		🏠		☀️	☀️			●	●	●		A	M	J		Purple	4"			

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct).
POTTED PLANTS (3-Packs & Trays) ship late April through early June.

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🐇	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PAINT SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	0			
OXYTROPIS	<i>lambertii</i>	Purple Locoweed				●	A, I	12,000	50																			Purple	1'	Legume		
PARTHENIUM	<i>integrifolium</i>	Wild Quinine			●	●	C(60)	10,000	200																			White	4'			
PEDICULARIS	<i>canadensis</i>	Wood Betony				●	C(30), K	37,000	75	🐝	🐦																	Yellow	1'	Hemiparasitic		
PEDICULARIS	<i>lanceolata</i>	Marsh Betony				●	C(30), K	30,000	750																			Cream	3'	Hemiparasitic		
PEDIOMELUM	<i>esculentum</i>	Prairie Turnip				●	B, H, I	1,500	10																			Blue	1'	Legume		
PEDIOMELUM	<i>tenuiflorum</i>	Scurfy Pea				●	C(10), H, I	1,000	5																			Blue	2'	NEW Legume		
PENSTEMON	<i>calycosus</i>	Calico Beardtongue	●			●	C(30), G	110,000	500	🐝	🐦																	Pink	3'			
PENSTEMON	<i>cobaea</i>	Showy Beardtongue				●	C(30)	12,000	50	🐝	🐦																	Purple	2'			
PENSTEMON	<i>digitalis</i>	Foxglove Beardtongue		●	●	●	C(30)	105,000	1,000	🐝	🐦																	White	4'			
PENSTEMON	<i>gracilis</i>	Slender Beardtongue				●	C(30), G	450,000	1,000	🐝	🐦																	Purple	2'	Sand		
PENSTEMON	<i>grandiflorus</i>	Large-flowered Beardtongue				●	C(30), G	13,000	300	🐝	🐦																	Purple	2'	Sand		
PENSTEMON	<i>hirsutus</i>	Hairy Beardtongue	●		●	●	C(60), D	350,000	1,000	🐝	🐦																	Purple	18"			
PENSTEMON	<i>pallidus</i>	Pale Beardtongue			●	●	C(30), D, G	200,000	750	🐝	🐦																	White	1'	Sand		
PENTHORUM	<i>sedoides</i>	Ditch Stonecrop				●	C(60), D	1,300,000	1,000																			Green	2'	Red Seedhead		
PERIDERRIDIA	<i>americana</i>	Wild Dill				●	C(60)	10,000	50																			White	3'			
PERSICARIA	<i>amphibia</i>	Marsh Smartweed				●	C(60)	5,500	50																			Pink	6'			
PERSICARIA	<i>hydropiperoides</i>	Swamp Smartweed				●	?	5,500	100																			White	3'			
PERSICARIA	<i>pensylvanica</i>	Pinkweed				●	C(60), D, ?	5,500	200																			Pink	3'	Annual		
PERSICARIA	<i>punctata</i>	Smartweed				●	C(60), D	9,000	100																			White	2'	Annual		
PERSICARIA	<i>virginiana</i>	Woodland Knotweed				●	C(60)	5,500	50																			White	2'			
PHASEOLUS	<i>polystachios</i>	Wild Kidney Bean				●	0	220	5																			Pink	to 8'	Vine		
PHLOX	<i>divaricata</i>	Wild Blue Phlox	●		●	●	C(60)	12,500	25	🐝	🐦																	Blue	1'	Rhizomatous, Difficult from Seed		
PHLOX	<i>glaberrima subsp.interior</i>	Smooth Phlox				●	C(60)	1,200	25	🐝	🐦																	Pink	2'			
PHLOX	<i>maculata</i>	Wild Sweet William	●			●	C(60)	7,000	75	🐝	🐦																	Pink	3'			
PHLOX	<i>paniculata</i>	Garden Phlox				●	C(60)	2,700	25	🐝	🐦																	Pink	4'			
PHLOX	<i>pilosa</i>	Prairie Phlox	●	●	●	●	C(60), M	12,000	75	🐝	🐦																	Pink	2'	Difficult from Seed		
PHRYMA	<i>leptostachya</i>	Lopseed				●	C(60)	3,300	100																			Pink	2'			
PHYLA	<i>lanceolata</i>	Lanceleaf Fog Fruit				●	C(60)	54,000	150																			Pink	2'			
PHYSOSTEGIA	<i>virginiana</i>	Obedient Plant	●	●	●	●	C(60)	15,000	200	🐝	🐦																	Pink	4'	Rhizomatous		
PODOPHYLLUM	<i>peltatum</i>	May Apple	●			●	C(90)	1,100	10																			White	1'	Aggressive, Rhizomatous, Poisonous		
POLANISIA	<i>dodecandra</i>	Clammy Weed				●	C(30)	7,500	150																			Pink	2'	Annual		
POLEMONIUM	<i>reptans</i>	Jacob's Ladder		●	●	●	C(60)	18,000	100	🐝																		Blue	1'			
POLYGALA	<i>senega</i>	Seneca Snakeroot				●	C(60)	13,500	30																			White	16"			
POLYGONATUM	<i>biflorum</i>	Solomon's Seal	●			●	L, F	850	30	🐝	🐦																	Cream	4'	Blue-Black Fruit		
POLYMNIA	<i>canadensis</i>	Small-flowered Leafcup				●	C(60)	6,000	75	🐝																		White	4'	Short-lived		
POLYMNIA	<i>vedalia</i>	Bearsfoot				●	C(60), H	300	7																			Yellow	7'			
POLYTAENIA	<i>nuttallii</i>	Prairie Parsley				●	C(90), M	4,500	75																			Yellow	4'	Short-lived		
PONTERDERIA	<i>cordata</i>	Pickernelweed				●	C(60)	720	20																			Purple	3'			
PORTERANTHUS	<i>stipulatus</i>	Western Indian Physic		●		●	C(60)	7,500	75																			White	2'			
POTENTILLA	<i>paradoxa</i>	Bushy Cinquefoil				●	C(90)	210,000	500																			Yellow	16"	Annual, Biennial		
PRENANTHES	<i>alba</i>	Lion's Foot				●	C(60)	19,000	100																			White	4'			
PRENANTHES	<i>racemosa</i>	Rattlesnake Root				●	C(120) or M	20,000	100																			Pink	3'			

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct).
POTTED PLANTS (3-Packs & Trays) ship late April through early June.

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O			
SILENE	virginica	Firepink				●	C(60)	29,000	50					🏠		☀️														Red	2'	Short-lived
SILPHIUM	integrifolium	Rosin Weed				●	C(60)	1,800	75	🐝	🐦	🦌				☀️														Yellow	5'	
SILPHIUM	laciniatum	Compass Plant		●	●	●	C(60)	660	50	🐝	🐦	🦌		🏠		☀️	☀️													Yellow	8'	
SILPHIUM	perfoliatum	Cup Plant			●	●	C(60)	1,250	75	🐝	🐦	🦌				☀️	☀️													Yellow	8'	Aggressive
SILPHIUM	terebinthinaceum	Prairie Dock		●		●	C(60)	1,000	35	🐝	🐦	🦌		🏠		☀️	☀️													Yellow	9'	
SILPHIUM	trifoliatum	Whorled Rosin Weed				●	C(60)	2,000	40	🐝						☀️	☀️													Yellow	5'	
SISYRINCHIUM	albidum	Common Blue-eyed Grass	●			●	C(60)/M, G	20,000	75					🏠		☀️	☀️													Blue	6"	
SISYRINCHIUM	angustifolium	Stout Blue-eyed Grass	●			●	C(60)	30,000	75					🏠		☀️	☀️													Blue	6"	
SISYRINCHIUM	campestre	Prairie Blue-eyed Grass	●			●	C(60)/M, G	42,000	75					🏠		☀️	☀️													Blue	6"	
SIUM	suave	Tall Water Parsnip				●	C(60)	30,000	300			🦌				☀️	☀️		🌊											White	4'	
SMILAX	lasioneura	Common Carrion Flower				●	?	700	15		🐦	🦌				☀️	☀️	●												Green	to 7'	Vine, Blue-Black Berries
SOLIDAGO	caesia	Blue-Stemmed Goldenrod		●		●	C(60), D	125,000	500	🐝	🐦	🦌				☀️	●													Yellow	3'	
SOLIDAGO	flexicaulis	Zig Zag Goldenrod	●	●		●	C(60), D	84,000	100	🐝	🐦	🦌				☀️	●													Yellow	3'	Aggressive
SOLIDAGO	gigantea	Late Goldenrod				●	C(60), D	200,000	750	🐝	🐦	🦌				☀️	☀️	●	🌊											Yellow	6'	Aggressive, Rhizomatous
SOLIDAGO	juncea	Early Goldenrod				●	C(60), D	400,000	750	🐝	🐦	🦌				☀️	☀️													Yellow	3'	Aggressive
SOLIDAGO	nemoralis	Old Field Goldenrod		●		●	C(60), D	250,000	1,000	🐝	🐦	🦌		🏠		☀️	☀️													Yellow	2'	
SOLIDAGO	rugosa	Wrinkle-leaf Goldenrod				●	C(60), D	240,000	750		🐦					☀️	☀️		🌊											Yellow	3'	
SOLIDAGO	speciosa	Showy Goldenrod		●	●	●	C(60), D	75,000	1,000	🐝	🐦	🦌		🏠		☀️	☀️													Yellow	5'	
SOLIDAGO	ulmifolia	Elm-leaved Goldenrod				●	C(60), D	140,000	800	🐝	🐦	🦌		🏠		☀️	●													Yellow	3'	
SOLIDAGO	odora	Sweet Goldenrod				●	C(60), D	175,000	750	🐝	🐦	🦌				☀️	☀️													Yellow	3'	
SOLIDAGO	patula	Round-leaved Goldenrod				●	C(60), D, G	55,000	500	🐝	🐦	🦌				☀️	☀️	●												Yellow	3'	Calcareous
SPARGANIUM	americanum	American Bur Reed				●	F?	4,000	75							☀️	☀️		🌊											White	3'	
SPARGANIUM	eurycarpum	Great Bur Reed				●	F?	550	90							☀️			🌊											White	4'	
SPHAERALCEA	coccinea	Scarlet Globemallow				●	?	8,800	75							☀️														Orange	1'	Biennial, Perennial
STACHYS	palustris	Woundwort				●	?	25,000	300							☀️														Purple	3'	
STACHYS	tenuifolia	Smooth Hedge-nettle				●	?	17,000	75							☀️	☀️													Pink	3'	
STROPHOSTYLES	helvula	Trailing Wild Bean				●	C(30), I	450	15							☀️														White	to 8'	Legume, Annual, Vine
STYLOPHORUM	diphyllum	Celandine Poppy	●			●	L, E	11,000	40					🏠		☀️	●													Yellow	1'	Difficult from Seed
SYMPHYOTRICHUM	cordifolium	Heart-leaved Aster		●		●	C(60)	100,000	500	🐝	🐦			⚠️		☀️	●													Blue	3'	
SYMPHYOTRICHUM	drummondii	Drummond's Aster				●	A	105,000	500	🐝	🐦					☀️	☀️	●												White	3'	
SYMPHYOTRICHUM	ericoides	Heath Aster				●	A, D	200,000	300	🐝	🐦			⚠️		☀️	☀️													White	2'	Rhizomatous
SYMPHYOTRICHUM	firmum	Shining Aster				●	C(60)	95,000	500	🐝	🐦					☀️	☀️		🌊											Blue	8'	
SYMPHYOTRICHUM	laeve	Smooth Blue Aster	●	●	●	●	A	55,000	750	🐝	🐦			🏠		☀️	☀️													Blue	4'	
SYMPHYOTRICHUM	lanceolatum	Panicled Aster				●	A	200,000	500	🐝	🐦					☀️														White	5'	
SYMPHYOTRICHUM	lateriflorum	Calico Aster				●	A	160,000	500	🐝	🐦			⚠️		☀️	☀️	●												White	2'	
SYMPHYOTRICHUM	novae-angliae	New England Aster		●	●	●	C(60)	80,000	500	🐝	🐦			⚠️		☀️	☀️		🌊											Purple	5'	
SYMPHYOTRICHUM	novi-belgii	New York Aster				●	C(60)	70,000	300		🐦					☀️	☀️													Purple	4'	
SYMPHYOTRICHUM	oblongifolium	Aromatic Aster			●	●	A	80,000	200	🐝	🐦			⚠️		☀️														Purple	2'	Rhizomatous
SYMPHYOTRICHUM	oolentangiense	Sky Blue Aster				●	A, G	70,000	500	🐝	🐦			🏠		☀️	☀️													Blue	3'	
SYMPHYOTRICHUM	pilosum	Frost Aster				●	C(60)	140,000	750	🐝	🐦					☀️	☀️													White	3'	Aggressive, Rhizomatous
SYMPHYOTRICHUM	praealtum	Willow Aster				●	C(30), D	130,000	100	🐝	🐦					☀️	☀️		🌊											Blue	3'	Aggressive, Rhizomatous
SYMPHYOTRICHUM	prenanthoides	Crooked-stemmed Aster	●			●	C(60), D	120,000	500	🐝	🐦					☀️	☀️													Purple	3'	

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct).
POTTED PLANTS (3-Packs & Trays) ship late April through early June.

FORBS (Wildflowers)			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	FORBS (Wildflowers)			FILL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS				
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O							
SYMPHYOTRICHUM	sericeum	Silky Aster		●		●	C(60)	32,000	300	🐝	🐦		🏠				☀️	☀️										S	O	Purple	1'					
SYMPHYOTRICHUM	shortii	Short's Aster		●	●	●	C(30)	55,000	200	🐝	🐦							●										A	S	O	Blue	3'				
SYMPHYOTRICHUM	turbellum	Prairie Aster				●	C(30)	50,000	400	🐝	🐦																	S	O	Purple	2'					
TAENIDIA	integerrima	Yellow Pimpernel				●	C(60), M	6,000	90				🏠					●								M	J	J			Yellow	3'				
TEPHROSIA	virginiana	Goat's Rue				●	C(10), H, I	1,900	30																		J	J			Pnk/Yel	1'	Legume, Sand			
TEUCRIUM	canadense	Germander				●	C(60)	13,000	300																		J	A	S			Pink	3'	Aggressive, Rhizomatous		
THALICTRUM	dasyarpum	Purple Meadow Rue				●	C(60), G	8,500	200		🐦		🏠														J	J				Cream	6'			
THALICTRUM	dioicum	Early Meadow Rue	●			●	C(60)	8,500	100				🏠						●							A	M				Green	2'				
THASPIUM	trifoliatum flavum	Meadow Parsnip				●	C(120)/M, G	7,500	100	🐝																	M	J	J			Yellow	2'			
THERMOPSIS	caroliniana	Blue-Ridge Buckbean	●			●	A, H, I	4,000	30																		M	J				Yellow	4'	Legume		
TRADESCANTIA	bracteata	Prairie Spiderwort	●	●		●	C(120)/M, G	10,000	150	🐝			⚠️														M	J	J			Purple	1'	NEW, Rhizomatous		
TRADESCANTIA	occidentalis	Western Spiderwort				●	C(120)/M, G	8,000	200	🐝			⚠️														M	J	J			Blue	2'			
TRADESCANTIA	ohiensis	Ohio Spiderwort	●		●	●	C(120)/M, G	8,000	150	🐝			⚠️														M	J	J			Blue	3'			
TRADESCANTIA	virginiana	Virginia Spiderwort				●	C(120), M	8,000	100	🐝																	M	J	J			Purple	2'			
TRILLIUM	grandiflorum	Large-flowered Trillium	●			●	L, F	2,300	20				🏠													A	M	J			White	1'	Difficult from Seed			
TRIODANIS	perfoliata	Venus' Looking Glass				●	C(60)	800,000	750																		M	J	J	A		Purple	2'	Annual		
TRIOSTEUM	perfoliatum	Late Horse Gentian				●	?	550	15		🐦																M	J				Red	3'			
UVULARIA	grandiflora	Bellwort	●			●	L, E	1,000	10				🏠														A	M				Yellow	1'	Difficult from Seed		
UVULARIA	sessilifolia	Sessile-leaf Bellwort	●			●	F, ?	900	10		🐦																A	M				Cream	1'	NEW, Difficult from Seed		
VERBENA	hastata	Blue Vervain	●		●	●	C(30), D	93,000	750	🐝	🐦																	J	A	S			Blue	5'		
VERBENA	simplex	Narrow-leaved Vervain				●	C(30)	34,000	200																			J	J	A			White	2'		
VERBENA	stricta	Hoary Vervain	●	●	●	●	C(60), D	25,000	750	🐝	🐦		🏠															J	J	A	S		Blue	2'		
VERBENA	urticifolia	White Vervain				●	C(60), D	60,000	1,000	🐝																		J	J	A	S	O	White	5'		
VERBESINA	alternifolia	Wingstem				●	C(30)	6,000	300	🐝																		J	A	S	O	Yellow	8'	Aggressive		
VERBESINA	helianthoides	Yellow Crownbeard				●	C(60)	7,000	250	🐝																		J	A				Yellow	4'		
VERNONIA	baldwinii	Western Ironweed				●	C(60)	21,000	200																			J	A	S			Purple	3'		
VERNONIA	gigantea	Tall Ironweed				●	C(60)	23,000	400	🐝	🐦																		A	S	O	Purple	5'			
VERNONIA	fasciculata	Common Ironweed		●	●	●	C(60)	20,000	500	🐝	🐦		🏠															J	A	S			Purple	6'		
VERNONIA	missurica	Missouri Ironweed	●			●	C(60)	22,000	250	🐝	🐦		🏠															J	A	S	O	Purple	5'	NEW		
VERNONIA	noveboracensis	New York Ironweed				●	C(60)	25,000	400	🐝	🐦		🏠															J	A	S			Purple	7'		
VERONICASTRUM	virginicum	Culver's Root	●	●	●	●	A, D	800,000	2,000	🐝	🐦		🏠															J	J	A			White	5'		
VIOLA	eriocarpa	Smooth Yellow Violet	●			●	C(60), D, M	8,500	20				🏠															A	M	J			Yellow	6"	NEW	
VIOLA	pedata	Bird's Foot Violet		●		●	C(60), M, D	26,000	25		🐦		🏠																A	M	J			Purple	3"	
VIOLA	pedatifida	Prairie Violet			●	●	C(60), M	18,000	100	🐝	🐦		🏠																A	M	J			Purple	7"	
VIOLA	sororia	Common Blue Violet	●		●	●	C(60), M, D	14,000	50	🐝			🏠																A	M	J			Purple	4"	
VIOLA	sororia f. priceana	Common Blue Violet, Bi-Colored Form	●	●		●	C(60), M, D	14,800	30	🐝			🏠																A	M	J			Blue/White	4"	
VIOLA	sororia f. rubra	Common Blue Violet, Pink Form	●			●	C(60), M, D	14,500	25	🐝			🏠																A	M	J			Pink	4"	
VIOLA	striata	Cream Violet	●			●	M	18,000	25																			M	J				Cream	5"		
WULFENIA	bullii	Kittentails				●	M	80,000	100																			M	J				Yellow	8"		
ZIZIA	aptera	Heart-leaf Golden Alexanders			●	●	C(60), M, G	8,400	150	🐝			🏠																A	M				Yellow	2'	
ZIZIA	aurea	Golden Alexanders		●	●	●	C(60), M, G	11,000	150	🐝	🐦		🏠																A	M	J			Yellow	3'	

TREES, SHRUBS, WOODY VINES & CACTI			2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	TREES, SHRUBS, WOODY VINES & CACTI			FULL SUN	PART SHADE	SHADE	SOIL				BLOOM					COLOR	HT	COMMENTS
GENUS	species	Common Name	Roots	3-Packs	Trays	Seed		Ounce	Packet						W	WM	M				DM	D	A	M	J	J	A	S	O			
ALNUS	<i>incana subsp. rugosa</i>	Speckled Alder				●	C(60)	28,000	150		🐦					☀️	☀️		☔	☔										Red	to 30'	
AMELANCHIER	<i>arborea</i>	Downy Serviceberry	●				M				🐦	🦌				☀️	☀️	●		☔	☔									Green	to 25'	
AMORPHA	<i>canescens</i>	Lead Plant		●	●	●	C(10), J, I	16,000	150	🐝		🦌	🏠			☀️	☀️			☔	☔									Purple	3'	Legume
AMORPHA	<i>fruticosa</i>	False Indigo	●			●	C(10), I	2,700	100	🐝		🦌				☀️	☀️			☔	☔									Purple	to 12'	Legume, Aggressive
AMORPHA	<i>nana</i>	Fragrant False Indigo				●	C(10), I	11,000	100	🐝		🦌	🏠			☀️				☔	☔									Purple	2'	Legume, Fragrant
BETULA	<i>nigra</i>	River Birch	●				C(60), L				🐦	🦌				☀️	☀️		☔	☔										Green	to 80'	
CEANOTHUS	<i>americanus</i>	New Jersey Tea		●	●	●	B or C(60)	7,600	75	🐝	🐦		🏠			☀️	☀️			☔	☔									White	3'	
CELASTRUS	<i>scandens</i>	Bittersweet				●	C(120), L	1,800	30		🐦	🦌				☀️	☀️			☔	☔									White	to 25'	Vine, Unsexed, Difficult from Seed
CEPHALANTHUS	<i>occidentalis</i>	Buttonbush	●	●		●	A	6,500	150	🐝	🐦	🦌				☀️	☀️		☔	☔										White	to 12'	
CLEMATIS	<i>virginiana</i>	Virgin's Bower				●	C(30), M	20,000	200			🦌				☀️	☀️			☔	☔									White	to 9'	Vine
CORNUS	<i>alternifolia</i>	Pagoda Dogwood	●			●	M	450	10	🐝	🐦	🦌	🏠			☀️	☀️	●		☔	☔									White	to 25'	
CORNUS	<i>amomum subsp. obliqua</i>	Silky Dogwood				●	M	400	10		🐦	🦌				☀️	☀️		☔	☔										White	to 10'	
CORNUS	<i>rugosa</i>	Round-leaved Dogwood	●			●	M	1,000	10		🐦	🦌				☀️	☀️	●		☔	☔									White	to 10'	
CORNUS	<i>stolonifera</i>	Red Osier Dogwood	●			●	M	950	10	🐝	🐦	🦌		⚠️		☀️	☀️		☔	☔										White	to 10'	
CORYLUS	<i>americana</i>	American Hazelnut	●				M				🐦					☀️	☀️		☔	☔										Pink	to 8'	Rizomatous
DIOSCOREA	<i>villosa</i>	Wild Yam	●			●	C(60)	2,300	15							☀️	☀️	●		☔	☔									Green	to 15'	Vine
HYPERICUM	<i>prolificum</i>	Shrubby St. John's Wort		●	●	●	A, D	180,000	500	🐝	🐦	🦌	🏠			☀️	☀️			☔	☔									Yellow	4'	
OPUNTIA	<i>fragilis</i>	Fragile Prickly Pear	●				A					🦌	🏠			☀️				☔	☔									Yellow	3"	Sand, Rizomatous
OPUNTIA	<i>humifusa</i>	Eastern Prickly Pear	●			●	A	900	20			🦌	🏠			☀️	☀️		☔	☔										Yellow	6"	Sand
PHYSOCARPUS	<i>opulifolius</i>	Prairie Ninebark	●			●	C(60), M	23,000	200		🐦		🏠			☀️	☀️		☔	☔										White	8'	
PTELEA	<i>trifoliata</i>	Wafer Ash				●	C(60) or F	900	25							☀️	☀️			☔	☔									Green	to 15'	
QUERCUS	<i>macrocarpa</i>	Bur Oak	●				L				🐦					☀️	☀️		☔	☔										Green	to 80'	
QUERCUS	<i>muehlenbergii</i>	Chinquapin Oak	●				L				🐦					☀️	☀️	●		☔	☔									Green	to 60'	
QUERCUS	<i>rubra</i>	Red Oak	●				L				🐦					☀️	☀️	●		☔	☔									Green	to 75'	
RHUS	<i>aromatica</i>	Fragrant Sumac	●			●	B, C(60), H	1,600	10		🐦	🦌				☀️	☀️		☔	☔										Yellow	6'	
ROSA	<i>arkansana</i>	Prairie Wild Rose				●	H, F	2,000	75	🐝	🐦					☀️	☀️		☔	☔										Pink	2'	Aggressive, Rizomatous
ROSA	<i>blanda</i>	Early Wild Rose				●	H, F	3,500	75	🐝	🐦					☀️	☀️		☔	☔										Pink	5'	Aggressive, Rizomatous
ROSA	<i>carolina</i>	Pasture Rose	●			●	H, F	2,200	75	🐝	🐦					☀️	☀️		☔	☔										Pink	2'	Aggressive, Rizomatous
ROSA	<i>palustris</i>	Swamp Rose	●			●	H, F	5,000	60	🐝	🐦					☀️	☀️		☔	☔										Pink	5'	Aggressive, Rizomatous
ROSA	<i>setigera</i>	Illinois Rose	●			●	H, F	5,500	75	🐝			⚠️			☀️	☀️		☔	☔										Pink	to 12'	Shrub/Vine
SALIX	<i>discolor</i>	Pussy Willow	●				A			🐝	🐦		🏠			☀️	☀️		☔	☔										White	to 25'	
SALIX	<i>humilis</i>	Prairie Willow	●				M	227,000	200	🐝	🐦					☀️	☀️		☔	☔										White	to 8'	NEW
SAMBUCUS	<i>canadensis</i>	Elderberry	●			●	M	9,500	75	🐝	🐦	🦌	⚠️			☀️	☀️		☔	☔										White	to 10'	Rizomatous, Dark Blue Fruit
SPIRAEA	<i>alba</i>	Meadowsweet	●				C(60), D	300,000	1,000		🐦					☀️	☀️		☔	☔										White	2'	
SPIRAEA	<i>tomentosa</i>	Steeplebush	●			●	C(60), D	2,500,000	1,000		🐦					☀️	☀️		☔	☔										Pink	4'	Acidic, Rizomatous
STAPHYLEA	<i>trifolia</i>	Bladdernut	●			●	F	300	5		🐦					☀️	☀️	●		☔	☔									White	to 20'	NEW
SYMPHORICARPOS	<i>albus</i>	Snowberry	●				?				🐦	🦌				☀️	☀️		☔	☔										White	to 6'	
SYMPHORICARPOS	<i>orbiculatus</i>	Coralberry	●			●	F, H	5,600	75		🐦					☀️	☀️		☔	☔										Pink	4'	Aggressive
VIBURNUM	<i>trilobum</i>	American Cranberrybush	●			●	F	600	15		🐦	🦌	🏠			☀️	☀️		☔	☔										White	to 12'	
YUCCA	<i>glauca</i>	Soapweed	●			●	A	1,800	30			🦌	🏠			☀️			☔	☔										White	4'	

FERNs		2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	🐝	🐦	🦌	🏠	⚠️	FERNs		FULL SUN	PART SHADE	SHADE	SOIL				HT	COMMENTS					
GENUS species	Common Name	Roots	3-Packs	Trays	Seed							GENUS species	Common Name				W	WM	M	DM			D				
ADIANTUM <i>pedatum</i>	Maidenhair Fern	●				S							☀️	☀️	●	☑️	☑️	☑️	☑️	2'	Rhizomatous						
ATHYRIUM <i>felix-femina</i>	Lady Fern	●				S							☀️	☀️	●	☑️	☑️	☑️	☑️	1'	Rhizomatous						
GYMNOCARPIUM <i>dryopteris</i>	Oak Fern	●				S							☀️	☀️	●	☑️	☑️	☑️	☑️	1'	NEW , Rhizomatous						
MATTEUCCIA <i>struthiopteris</i>	Ostrich Fern	●				S		🐦					☀️	☀️	●	☑️	☑️	☑️	☑️	4'	Rhizomatous						
OSMUNDA <i>claytoniana</i>	Interrupted Fern	●				S							☀️	☀️	●	☑️	☑️	☑️	☑️	3'	Rhizomatous						
GRASSES, SEDGES & RUSHES		2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	🐝	🐦	🦌	🏠	⚠️	GRASSES, SEDGES & RUSHES		FULL SUN	PART SHADE	SHADE	SOIL				BLOOM				HT	COMMENTS	
GENUS species	Common Name	Roots	3-Packs	Trays	Seed							Ounce	Packet				GENUS species	Common Name	W	WM	M	DM	D	A			M
ANDROPOGON <i>gerardii</i>	Big Bluestem		●	●	●	A	10,000	500		🐦				☀️	☀️	●	☑️	☑️	☑️	☑️		J	J	A	S	7'	Warm
BECKMANNIA <i>syzigachne</i>	American Slough Grass				●	A	40,000	1,000						☀️		●	☑️	☑️	☑️	☑️		J	J	A		2'	Annual
BOUTELOUA <i>curtipendula</i>	Side-oats Grama		●	●	●	A	4,000	300		🐦				☀️	☀️	●	☑️	☑️	☑️	☑️				A	S	2'	Warm
BOUTELOUA <i>gracilis</i>	Blue Grama				●	A	40,000	500						☀️	☀️	●	☑️	☑️	☑️	☑️			J	A	S	1'	Warm
BROMUS <i>ciliatus</i>	Fringed Brome				●	A	5,500	300		🐦				☀️	☀️	●	☑️	☑️	☑️	☑️			J	A	S	4'	Cool
BROMUS <i>kalmii</i>	Prairie Brome				●	A	8,000	500						☀️	☀️	●	☑️	☑️	☑️	☑️			J	A	S	3'	Cool
BROMUS <i>pubescens</i>	Hairy Wood Chess				●	C(30)	5,500	300						☀️	☀️	●	☑️	☑️	☑️	☑️		J	J	A		4'	Cool
CALAMAGROSTIS <i>canadensis</i>	Blue Joint Grass				●	A, D	280,000	1,000						☀️	☀️	●	☑️	☑️	☑️	☑️		J	J	A		4'	Cool, Aggressive, Rhizomatous
CAREX <i>albursina</i>	White Bear Sedge	●				C(60)	11,500	75						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J	J		2'	NEW
CAREX <i>annectens</i>	Small Yellow Fox Sedge			●	●	C(60)	45,000	500						☀️	☀️	●	☑️	☑️	☑️	☑️			A	J		2'	Cool
CAREX <i>aquatilis</i>	Water Sedge				●	C(60)	40,000	300						☀️		●	☑️	☑️	☑️	☑️			J	A		5'	Cool
CAREX <i>atherodes</i>	Hairy-Leaved Lake Sedge				●	C(60)	10,000	300						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J			3'	Cool, Rhizomatous
CAREX <i>bebbii</i>	Bebb's Oval Sedge				●	C(60)	125,000	500						☀️		●	☑️	☑️	☑️	☑️			J	J		3'	Cool
CAREX <i>bicknellii</i>	Copper-shouldered Oval Sedge		●		●	C(60)	35,000	500						☀️	☀️	●	☑️	☑️	☑️	☑️			J	J		3'	Cool
CAREX <i>blanda</i>	Common Wood Sedge	●	●		●	C(60)	13,500	100						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J			1'	Cool
CAREX <i>brevior</i>	Plains Oval Sedge				●	C(60)	29,000	750						☀️	☀️	●	☑️	☑️	☑️	☑️			J	J		2'	Cool
CAREX <i>buxbaumii</i>	Buxbaum's Sedge				●	C(60)	17,000	100						☀️		●	☑️	☑️	☑️	☑️		M	J			3'	Cool
CAREX <i>canescens</i>	Gray Bog Sedge				●	C(60), D	105,000	1,000						☀️	☀️	●	☑️	☑️	☑️	☑️			J	J		3'	Cool
CAREX <i>cephalophora</i>	Short-headed Bracted Sedge				●	C(60)	32,000	600						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J			16"	Cool
CAREX <i>comosa</i>	Bristly Sedge				●	C(60)	37,000	750		🐦				☀️		●	☑️	☑️	☑️	☑️			J			2'	Cool
CAREX <i>crawfordii</i>	Early Fen Sedge				●	C(60)	55,000	150						☀️		●	☑️	☑️	☑️	☑️		M	J			3'	Cool
CAREX <i>crinita</i>	Fringed Sedge				●	C(60)	25,000	500		🐦				☀️	☀️	●	☑️	☑️	☑️	☑️			J	J		3'	Cool
CAREX <i>cristatella</i>	Crested Oval Sedge				●	C(60)	95,000	500						☀️	☀️	●	☑️	☑️	☑️	☑️			J	J	A	3'	Cool
CAREX <i>crus-corvi</i>	Crowfoot Fox Sedge	●			●	C(60)	18,000	200						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J	J	A	3'	Cool
CAREX <i>cryptolepis</i>	Northeastern Sedge				●	C(60), ?	33,000	100						☀️		●	☑️	☑️	☑️	☑️			J			18"	Cool
CAREX <i>davisii</i>	Awned Graceful Sedge			●	●	C(60)	11,000	100						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J	J		2'	Cool
CAREX <i>diandra</i>	Bog Panicked Sedge				●	C(60)	48,000	200						☀️	☀️	●	☑️	☑️	☑️	☑️			J			3'	Cool
CAREX <i>echinata</i>	Large-fruited Star Sedge				●	C(60)	39,000	150						☀️		●	☑️	☑️	☑️	☑️		M	J	J		3'	Cool
CAREX <i>frankii</i>	Bristly Cattail Sedge				●	C(60)	21,000	750						☀️	☀️	●	☑️	☑️	☑️	☑️			J	J	A	2'	Cool
CAREX <i>gracillima</i>	Purple-sheathed Graceful Sedge			●	●	C(60), D	27,000	500						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J			3'	Cool
CAREX <i>granularis</i>	Pale Sedge				●	C(60)	26,000	150						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J			2'	Often Calcareous Soil, Cool
CAREX <i>gravida</i>	Long-awned Bracted Sedge				●	C(60)	27,000	150						☀️	☀️	●	☑️	☑️	☑️	☑️		M	J			2'	Cool
CAREX <i>grayi</i>	Common Bur Sedge	●			●	C(60)	1,200	45		🐦				☀️	☀️	●	☑️	☑️	☑️	☑️		M	J	J	A	3'	NEW , Cool
CAREX <i>haydenii</i>	Hayden's Sedge				●	C(60)	41,000	150						☀️	☀️	●	☑️	☑️	☑️	☑️			J	J	A	4'	Cool

BARE ROOT PLANTS ship during the dormant seasons: Spring (April-May) and Fall (Oct-Nov). POTTED PLANTS (3-Packs & Trays) ship late April through early June.

GRASSES, SEDGES & RUSHES		2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:			GRASSES, SEDGES & RUSHES		FULL SUN	PART SHADE	SHADE	SOIL				BLOOM					HT	COMMENTS				
GENUS	species	Common Name	Roots	3-Packs	Trays		Seed	Ounce		Packet	GENUS				species	Common Name	W	WM	M	DM	D	A	M			J	J	A	S
CAREX	<i>hystericina</i>	Porcupine Sedge				●	C(60)	30,000	500						●	●											3'	Cool	
CAREX	<i>intumescens</i>	Shining Bur Sedge				●	C(60)	2,300	25						●	●	●										2'	Cool	
CAREX	<i>jamesii</i>	James' Sedge			●	●	C(60)	5,500	75						●	●	●										1'	NEW , Cool	
CAREX	<i>lacustris</i>	Common Lake Sedge				●	C(60)	15,000	80						●	●											3'	Cool, Aggressive, Rhizomatous	
CAREX	<i>lasiocarpa</i>	Narrow-leaved Woolly Sedge				●	C(60)	19,000	100						●	●											2'	Cool	
CAREX	<i>lupulina</i>	Common Hop Sedge				●	C(60)	4,000	100						●	●											3'	Cool	
CAREX	<i>lurida</i>	Sallow Sedge				●	C(60)	15,000	200						●	●											3'	Cool	
CAREX	<i>molesta</i>	Field Oval Sedge				●	C(60)	25,000	300						●	●	●	●									3'	Cool	
CAREX	<i>muehlenbergii</i>	Sand Bracted Sedge				●	C(60)	10,000	100								●										2'	Cool	
CAREX	<i>muskingumensis</i>	Palm Sedge		●	●	●	A	40,000	75						●	●	●										3'	Cool	
CAREX	<i>normalis</i>	Spreading Oval Sedge				●	C(60)	29,000	400						●	●											3'	Cool	
CAREX	<i>pellita</i>	Broad-leaved Woolly Sedge				●	C(60)	15,000	200						●	●											3'	Cool, Calcareous	
CAREX	<i>pennsylvanica</i>	Pennsylvania Sedge	●		●	●	C(60)	20,000	30						●	●	●	●									8"	Cool, Rhizomatous, Difficult from Seed	
CAREX	<i>prairiea</i>	Fen Panicked Sedge				●	C(60)	60,000	500						●	●											3'	Cool, Calcareous	
CAREX	<i>pseudocyperus</i>	False Bristly Sedge				●	C(60)	22,000	200						●	●											2'	Cool	
CAREX	<i>radiata</i>	Eastern Star Sedge			●	●	C(60)	41,000	200						●	●											1'	Cool	
CAREX	<i>retrorsa</i>	Deflexed Bottle-brush Sedge	●			●	C(60)	13,000	100						●	●											2'	Cool	
CAREX	<i>rosea</i>	Curly-styled Wood Sedge		●	●	●	C(60)	26,000	75						●	●	●	●									1'	Cool	
CAREX	<i>scoparia</i>	Lance-fruited Oval Sedge				●	C(60)	84,000	1,000						●	●											2'	Cool	
CAREX	<i>shortiana</i>	Short's Sedge				●	C(60)	17,000	200						●	●											2'	Cool	
CAREX	<i>spengelii</i>	Long-beaked Sedge	●	●	●	●	C(60)	10,000	150						●	●	●										2'	Cool	
CAREX	<i>sterilis</i>	Fen Star Sedge				●	C(60)	55,000	500						●	●											1'	Cool, Calcareous Fen	
CAREX	<i>stipata</i>	Awl-fruited Sedge		●		●	C(60)	34,000	750						●	●											3'	Cool	
CAREX	<i>stricta</i>	Common Tussock Sedge		●		●	C(60)	53,000	150						●	●											3'	Cool	
CAREX	<i>tenera</i>	Narrow-leaved Oval Sedge				●	C(60)	45,000	150						●	●	●										3'	Cool	
CAREX	<i>tribuloides</i>	Awl-fruited Oval Sedge				●	C(60)	120,000	1,000						●	●	●										3'	Cool	
CAREX	<i>trichocarpa</i>	Hairy-fruited Lake Sedge				●	C(60)	8,500	150						●	●											4'	Cool, Aggressive, Rhizomatous	
CAREX	<i>typhina</i>	Common Cattail Sedge				●	C(60)	17,000	150						●	●											1'	Cool	
CAREX	<i>utriculata</i>	Common Yellow Lake Sedge				●	C(60)	15,000	250						●	●											3'	Cool, Aggressive, Rhizomatous	
CAREX	<i>vulpinoidea</i>	Brown Fox Sedge		●	●	●	C(60), D	80,000	500						●	●	●	●										3'	Cool
CAREX	<i>woodii</i>	Wood's Sedge			●		C(60)								●	●	●	●									1'	NEW , Cool	
CHASMANTHIUM	<i>latifolium</i>	River Oats			●	●	C(60)	4,600	75						●	●											3'	Ornamental	
CINNA	<i>arundinacea</i>	Wood Reed Grass				●	C(60)	68,000	100						●	●	●											3'	
CYPERUS	<i>houghtonii</i>	Houghton's Flat Sedge				●	C(60)	35,000	150						●	●											2'		
DANTHONIA	<i>spicata</i>	Poverty Oat Grass				●	A	25,000	100						●	●											1'	Cool	
DIARRHENA	<i>americana</i>	American Beak Grass				●	C(60), G	3,600	100						●	●	●											3'	Wild Turkey Food
DIARRHENA	<i>obovata</i>	Beak Grass				●	C(60), G	3,500	100						●	●	●											2'	Wild Turkey Food
ELEOCHARIS	<i>acicularis</i>	Spike Rush				●	C(60), D	125,000	750						●	●											8"	Cool, Rhizomatous	
ELEOCHARIS	<i>erythropoda</i>	Bald Spike Rush				●	C(60), D	78,000	500						●	●	●										3'	Cool, Calcareous	
ELEOCHARIS	<i>obtusa</i>	Blunt Spike Rush				●	C(60), D	130,000	750						●	●											1'	Annual, Cool	
ELEOCHARIS	<i>palustris</i>	Great Spike Rush				●	C(60), D	72,000	500						●	●											1'	Cool, Rhizomatous	
ELYMUS	<i>canadensis</i>	Canada Wild Rye			●	●	A	5,200	400						●	●	●	●										5'	Cool
ELYMUS	<i>hystrix</i>	Bottlebrush Grass		●	●	●	A	3,500	150						●	●											3'	Cool	

GRASSES, SEDGES & RUSHES		2025 AVAILABILITY (seasonal)				GERM CODE (see pg. C3)	SEEDS PER:		🐝	🐦	🦌	🏠	⚠️	GRASSES, SEDGES & RUSHES		FULL SUN	PART SHADE	SHADE	SOIL				BLOOM					HT	COMMENTS			
GENUS	species	Common Name	Roots	3-Packs	Trays		Seed	Ounce						Packet	GENUS				species	Common Name	W	WM	M	DM	D	A	M			J	J	A
ELYMUS	riparius	Riverbank Wild Rye				●	A	4,000	200					ELYMUS	riparius	Riverbank Wild Rye	☀️	●	●	●						J	J	A			4'	Cool
ELYMUS	villosus	Silky Wild Rye		●		●	A	6,000	200				🏠	ELYMUS	villosus	Silky Wild Rye	☀️	●	●	●						J	J	A			3'	Cool
ELYMUS	virginicus	Virginia Wild Rye				●	A	3,500	400	🐦				ELYMUS	virginicus	Virginia Wild Rye	☀️	☀️	●	●	●						J	A			4'	Cool
ERAGROSTIS	spectabilis	Purple Love Grass		●	●	●	A, D	280,000	500				🏠	ERAGROSTIS	spectabilis	Purple Love Grass	☀️	☀️									J	A			2'	Warm, Sand
ERAGROSTIS	trichodes	Sand Love Grass				●	A, D	90,000	1,000					ERAGROSTIS	trichodes	Sand Love Grass	☀️										J	A	S	O	3'	Warm
FESTUCA	paradoxa	Clustered Fescue				●	C(60)	30,000	150					FESTUCA	paradoxa	Clustered Fescue	☀️	☀️	●	●	●				M	J	J			4'	Cool	
FESTUCA	subverticillata	Nodding Fescue				●	C(60)	23,000	200				🏠	FESTUCA	subverticillata	Nodding Fescue	☀️	☀️	●	●	●					J	J			2'	Cool	
GLYCERIA	canadensis	Rattlesnake Grass				●	A, D	30,000	500					GLYCERIA	canadensis	Rattlesnake Grass	☀️	☀️	●	●						J	J	A			3'	Cool
GLYCERIA	grandis	Reed Manna Grass				●	A, D	80,000	500					GLYCERIA	grandis	Reed Manna Grass	☀️		●	●						J	J	A	S		5'	Cool
GLYCERIA	striata	Fowl Manna Grass				●	A, D	100,000	500	🐦				GLYCERIA	striata	Fowl Manna Grass	☀️	☀️	●	●	●					J	J	A	S		3'	Cool
HIEROCHLOE	odorata	Sweet Grass		●	●	●	C(30)	35,000	50					HIEROCHLOE	odorata	Sweet Grass	☀️	☀️	●	●	●				M	J	J			2'	Cool, Aromatic, Rhizomatous, Aggressive	
JUNCUS	balticus	Baltic Rush				●	A	342,000	2,000					JUNCUS	balticus	Baltic Rush	☀️		●	●	●				M	J	J	A		3'	Cool, Rhizomatous	
JUNCUS	canadensis	Canada Rush				●	C(60), D	750,000	1,000					JUNCUS	canadensis	Canada Rush	☀️	☀️	●	●	●					J	A	S		2'	Cool	
JUNCUS	dudleyi	Dudley's Rush				●	C(60), D	2,500,000	1,000					JUNCUS	dudleyi	Dudley's Rush	☀️		●	●	●					J	J	A	S		2'	Cool
JUNCUS	effusus	Common Rush				●	C(60), D	2,000,000	1,000	🐦				JUNCUS	effusus	Common Rush	☀️		●	●	●					J	A	S		2'	Cool	
JUNCUS	interior	Inland Rush				●	C(60), D	2,800,000	1,000					JUNCUS	interior	Inland Rush	☀️		●	●	●			M	J	J			2'	Cool		
JUNCUS	tenuis	Path Rush		●		●	C(60), D	1,000,000	1,000	🐦			🏠	JUNCUS	tenuis	Path Rush	☀️	☀️	●	●	●	●				J	J	A	S		1'	Cool
JUNCUS	torreyi	Torrey's Rush				●	C(60), D	1,600,000	1,000				🏠	JUNCUS	torreyi	Torrey's Rush	☀️		●	●						J	A	S	O	1'	Cool	
KOELERIA	macrantha	June Grass			●	●	A, G, D	200,000	1,000	🐦			🏠	KOELERIA	macrantha	June Grass	☀️				●	●				J	J			2'	Cool, Sand	
LEERSIA	oryzoides	Rice Cut Grass				●	C(30)	30,000	500					LEERSIA	oryzoides	Rice Cut Grass	☀️	☀️	●	●						J	J	A	S	O	4'	Aggressive, Rhizomatous
MUHLENBERGIA	glomerata	Marsh Muhly				●	A, D	225,000	400				⚠️	MUHLENBERGIA	glomerata	Marsh Muhly	☀️		●	●							A	S		2'	Warm, Rhizomatous	
MUHLENBERGIA	mexicana	Leafy Satin Grass				●	A, D	175,000	400				⚠️	MUHLENBERGIA	mexicana	Leafy Satin Grass	☀️	☀️	●	●	●							A	S		2'	Warm, Rhizomatous
MUHLENBERGIA	racemosa	Upland Wild Timothy				●	A, D	105,000	750				⚠️	MUHLENBERGIA	racemosa	Upland Wild Timothy	☀️	☀️	●	●	●						A	S		2'	Warm, Rhizomatous	
PANICUM	acuminatum	Hairy Panic Grass				●	A	60,000	150					PANICUM	acuminatum	Hairy Panic Grass	☀️	☀️	●	●	●	●				J	A	S		2'	Warm	
PANICUM	virgatum	Switch Grass		●	●	●	A	14,000	500	🐦			⚠️	PANICUM	virgatum	Switch Grass	☀️	☀️	●	●	●	●				J	A	S		4'	Warm	
POA	palustris	Fowl Bluegrass				●	A, D	135,000	1,000					POA	palustris	Fowl Bluegrass	☀️	☀️	●	●						J	J	A	S		2'	Cool
SCHIZACHYRIUM	scoparium	Little Bluetem		●	●	●	A	15,000	500	🐦			🏠	SCHIZACHYRIUM	scoparium	Little Bluestem	☀️	☀️	●	●	●	●				J	A	S	O	3'	Warm	
SCIRPUS	acutus	Hardstem Bulrush				●	C(60) or M	16,000	250					SCIRPUS	acutus	Hardstem Bulrush	☀️		●	●						J	J	A			6'	Cool, Aggressive, Rhizomatous
SCIRPUS	atrovirens	Dark-green Bulrush				●	C(60) or M	460,000	1,000					SCIRPUS	atrovirens	Dark-green Bulrush	☀️		●	●						J	J	A			5'	Cool
SCIRPUS	cyperinus	Wool Grass				●	C(60) or M, D	1,700,000	1,000	🐦				SCIRPUS	cyperinus	Wool Grass	☀️		●	●							A	S	O	5'	Cool	
SCIRPUS	fluviatilis	River Bulrush				●	C(90) or M	3,700	150					SCIRPUS	fluviatilis	River Bulrush	☀️		●	●						J	J			6'	Aggressive, Rhizomatous	
SCIRPUS	microcarpus	Barberpole Sedge				●	C(60) or M, D	460,000	1,000					SCIRPUS	microcarpus	Barberpole Sedge	☀️		●	●						J	J			3'	Cool	
SCIRPUS	pendulus	Rufous Bulrush				●	C(60)	350,000	2,000					SCIRPUS	pendulus	Rufous Bulrush	☀️	☀️	●	●	●				M	J	J			4'		
SCIRPUS	pungens	Chairmaker's Rush				●	C(60), D	19,000	250					SCIRPUS	pungens	Chairmaker's Rush	☀️		●	●						J	J	A	S	O	4'	Aggressive, Rhizomatous
SCIRPUS	validus	Great Bulrush				●	C(60), D	38,000	500					SCIRPUS	validus	Great Bulrush	☀️		●	●						J	J	A			6'	Cool, Aggressive, Rhizomatous
SCOLOCHLOA	festucacea	White Top Grass				●	C(30)	19,000	100					SCOLOCHLOA	festucacea	White Top Grass	☀️		●	●						J	J			5'	Cool	
SORGHASTRUM	nutans	Indian Grass		●	●	●	A	11,000	500	🐦			⚠️	SORGHASTRUM	nutans	Indian Grass	☀️	☀️	●	●	●							A	S		6'	Warm
SPARTINA	pectinata	Cord Grass			●	●	A	6,000	250	🐦				SPARTINA	pectinata	Cord Grass	☀️	☀️	●	●	●						J	A	S		8'	Warm, Aggressive, Rhizomatous
SPOROBOLUS	compositus	Rough Dropseed				●	A	32,000	500					SPOROBOLUS	asper	Rough Dropseed	☀️		●	●	●						A	S	O	3'	Warm	
SPOROBOLUS	cryptandrus	Sand Dropseed				●	A	200,000	1,000					SPOROBOLUS	cryptandrus	Sand Dropseed	☀️		●	●	●					J	A	S	O	3'	Warm	
SPOROBOLUS	heterolepis	Prairie Dropseed		●	●	●	A	14,000	300	🐦			🏠	SPOROBOLUS	heterolepis	Prairie Dropseed	☀️	☀️	●	●	●	●					A	S	O	2'	Warm	
STIPA	spartea	Porcupine Grass-Untrimmed				●	C(60), G	680	min. 1 oz	🐦				STIPA	spartea	Porcupine Grass-Untrimmed	☀️	☀️	●	●	●	●			M	J				4'	Cool, Sharp Seed-Caution!	
TRIDENS	flavus	Purpletop				●	C(60)	26,000	1,000					TRIDENS	flavus	Purpletop	☀️	☀️	●	●							A	S	O	4'		



CUSTOM SEED MIX DESIGN

CONTACT US ABOUT YOUR PROJECT

quotes@prairiemoon.com | 507-452-1362

Spring seed production field of *Penstemon grandiflorus* (Large-Flowered Beardtongue)